

Product	Width	Diameter	Description	Core ID	Wrap / Pack	Rolls/Case	Length	Weight (lbs.)
SmartChoice Bond Rolls								
62-106	38mm	2 3/4"	15# 1 Ply SmartChoice Bond	7/16"	10	100	145'	22.02
62-106B	38mm	2 3/4"	15# 1 Ply SmartChoice Bond	7/16"	None	100	145'	22
63-378	38mm	2 7/8"	15# 1 Ply SmartChoice Bond	7/16"	10	100	165'	25
63-377	38mm	3"	16# 1 Ply SmartChoice Bond	7/16"	10	100	150'	24
62-107	44mm	2 3/4"	15# 1 Ply SmartChoice Bond	7/16"	10	100	145'	25.18
62-107B	44mm	2 3/4"	15# 1 Ply SmartChoice Bond	7/16"	None	100	145'	25
63-438	44mm	2 7/8"	15# 1 Ply SmartChoice Bond	7/16"	10	100	165'	29.12
63-544	44mm	2 7/8"	15# 1 Ply SmartChoice Bond	7/16"		50	165'	15
62-258	44mm	3"	15# 1 Ply SmartChoice Bond	11/16"	10	100	175'	30.58
62-225	44mm	3 1/8"	15# 1 Ply SmartChoice Bond	7/16"	10	100	190'	33.02
63-437	44mm	3"	16# 1 Ply SmartChoice Bond	7/16"		100	150'	28.32
63-481	44mm	3"	16# 1 Ply SmartChoice Bond	7/16"		100	150'	28.52
12-100	2 1/4"	2 7/8"	15# 1 Ply SmartChoice Bond	7/16"		100	150'	34.5
12-812	2 1/4"	3"	15# 1 Ply SmartChoice Bond	7/16"	12	96	150'	32.88
13-300	2 1/4"	2 7/8"	15# 1 Ply SmartChoice Bond	7/16"		100	165'	36.54
12-150	2 1/4"	2 7/8"	16# 1 Ply SmartChoice Bond	7/16"		50	150'	18.34
12-104	2 3/4"	2 7/8"	15# 1 Ply SmartChoice Bond	7/16"		50	150'	20.96
13-304	2 3/4"	2 7/8"	15# 1 Ply SmartChoice Bond	7/16"		50	165'	23.2
11-104	2 3/4"		16# 1 Ply SmartChoice Bond	7/16"		50	165'	22.62
44-104	2 3/4"	3 1/8"	15# 1 Ply SmartChoice Bond	7/16"		50	190'	26.96
CC-105	3"	2 1/4"	15# 1 Ply SmartChoice Bond	7/16"		50	95'	15.28
12-105	3"	2 7/8"	15# 1 Ply SmartChoice Bond	7/16"		50	150'	23.78
13-305	3"	2 3/4"	15# 1 Ply SmartChoice Bond	7/16"		50	165'	25.44
11-105	3"	3 1/8"	15# 1 Ply SmartChoice Bond	7/16"		50	190'	29
63-316	3"	3 1/8"	16# 1 Ply SmartChoice Bond	7/16"		50	150'	24.42
63-318	3"	3 1/8"	16# 1 Ply SmartChoice Bond	7/16"		50	165'	26.24
62-418	3 1/4"	2 1/4"	15# 1 Ply SmartChoice Bond (Discontinued)	11/16"	12	108	85'	31
62-481	3 1/4"	3"	15# 1 Ply SmartChoice Bond	11/16"		50	165'	27.8
62-464	3 1/4"	3 1/2"	15# 1 Ply SmartChoice Bond	11/16"		48	240'	37.38
13-450	4 1/2"	2 7/8"	15# 1 Ply SmartChoice Bond	7/16"		50	165'	37.62
21-104	8 7/16"	4 1/4"	16# 1 Ply SmartChoice Bond	1"		12	310'	34.72
Colored SmartChoice Bond Rolls								
13-305C	3"	2 3/4"	15# 1 Ply SmartChoice Bond (Canary)	7/16"		50	165'	25.22
13-305P	3"	2 3/4"	15# 1 Ply SmartChoice Bond (Pink)	7/16"		50	165'	25.22
13-305G	3"	2 3/4"	15# 1 Ply SmartChoice Bond (Green)	7/16"		50	165'	25.22
Virgin Bond Rolls								
17-855	2 3/4"	3 1/8"	15# 1 Ply Virgin Bond	7/16"		50	190'	26.96
17-385	3"	2 7/8"	15# 1 Ply Virgin Bond	7/16"		50	150'	23.05
17-742	3"	2 3/4"	15# 1 Ply Virgin Bond	7/16"		50	165'	25.44
Standard Thermal Rolls								
15-038	38mm	2 1/2"	48 gm Black Image Thermal	7/16"		50	165'	11.92
15-044	44mm	3"	48 gm Black Image Thermal	7/16"		50	230'	19.7
15-144	44mm	3"	48 gm Black Image Thermal	7/16"		100	230'	39
15-303	2 1/4"	1 1/2"	48 gm Black Image Thermal	7/16"		48	42'	4.96
15-185	2 1/4"	1 3/4"	48 gm Black Image Thermal	7/16"		50	85'	8.75
15-186	2 1/4"	1 3/4"	48 gm Black Image Thermal	7/16"		72	85'	12.6
15-149	2 1/4"	1 3/4"	48 gm Black Image Thermal	1/2"		50	80'	7.95
15-148	2 1/4"	2 1/4"	48 gm Black Image Thermal	1/2"		50	132'	13.45
15-150	2 1/4"	2 1/2"	48 gm Black Image Thermal	1/2"		24	150'	7.4
15-155	2 1/4"	2 1/2"	48 gm Black Image Thermal	1/2"		50	150'	14.85
15-165	2 1/4"	2 5/8"	48 gm Black Image Thermal	1/2"		50	165'	16
15-151	2 1/4"	2 7/8"	48 gm Black Image Thermal	1/2"		50	200'	20.15
15-157	2 1/4"	3"	48 gm Black Image Thermal	1/2"		50	230'	22.9
15-152	2 5/16"	3"	48 gm Black Image Thermal	7/16"		24	209'	11.36
15-153	2 5/16"	4"	48 gm Black Image Thermal	11/16"		12	400'	10.84
15-154	2 5/16"	3"	48 gm Black Image Thermal	1 1/2"		50	170'	21.56
15-158	2 5/16"	4"	48 gm Black Image Thermal (CSI)	1 1/2"		12	338'	9.28
DC-285	2 7/16"	4"	black image thermal	1"		50	285'	33.62
46-015	3"	3"	black image thermal	7/16"		50	230'	32.02
46-043	3 1/8"	1 1/2"	48 gm Black Image Thermal	7/16"		50	43'	6.5
46-170	3 1/8"	2 1/4"	55 gm Black Image Thermal	7/16"		50	110'	16.25
46-174	3 1/8"	2 7/8"	55 gm Black Image Thermal	7/16"		50	220'	31.35
46-175	3 1/8"	2 7/8"	55 gm Black Image Thermal	7/16"		50	230'	32.45

Product	Width	Diameter	Description	Core ID	Wrap / Pack	Rolls/Case	Length	Weight (lbs.)
46-176	3 1/8"	3 7/32"	55 gm Black Image Thermal	7/16"		50	273'	38.95
54-200	3 1/8"		48 gm Black Image Thermal	7/16"		50	200'	26.77
54-220	3 1/8"	2 3/4"	48 gm Black Image Thermal	7/16"		50	220'	28
54-230	3 1/8"	3"	48 gm Black Image Thermal	7/16"		50	230'	28.65
54-273	3 1/8"		48 gm Black Image Thermal	7/16"		50	273'	34
46-175-20	3 1/8"	3"	Heavy Weight Black Image Thermal	7/16"		50	165'	34.92
46-183	4 3/8"	1 3/4"	black image thermal	1/2"		50	80'	17.1
46-328	4 3/8"	3 7/16"	black image thermal	1/2"		24	328'	28.45
46-802	4 9/32"	2 1/4"	black image thermal	7/16"		50	115'	23.1
BPA Free Thermal Rolls								
216-149	2 1/4"	1 3/4"	48 gm BPA Free Black Image Thermal	1/2"		50	80'	7.95
216-220	3 1/8"	2 3/4"	48 gm BPA Free Black Image Thermal	7/16"		50	220'	28
216-230	3 1/8"	3"	48 gm BPA Free Black Image Thermal	7/16"		50	230'	29
216-273	3 1/8"		48 gm BPA Free Black Image Thermal	7/16"		50	273'	35.3
Colored Thermal Rolls								
46-175B	3 1/8"	3"	black image thermal BLUE Paper	7/16"		50	230'	35.56
46-175C	3 1/8"	3"	black image thermal CANARY Paper	7/16"		50	230'	35.56
46-175G	3 1/8"	3"	black image thermal GREEN Paper	7/16"		50	230'	35.56
46-175P	3 1/8"	3"	black image thermal PINK Paper	7/16"		50	230'	35.56
Tray Packed POS Rolls								
80-101	3"	3"	2 Ply (White/Canary) Carbonless	7/16"	10 r/pk - 3 pk/cs	30	95'	15.4
80-102	3 1/8"	3"	48 gm BPA Free Black Image Thermal	7/16"	10 r/pk - 3 pk/cs	30	230'	19.95
80-103	2 1/4"	1 3/4"	48 gm BPA Free Black Image Thermal	1/2"	24 r/pk - 4 pk/cs	96	80'	16.6
80-104	3"	2 3/4"	15# 1 Ply SmartChoice Bond	7/16"	10 r/pk - 3 pk/cs	30	165'	15.6
80-105	44mm	2 7/8"	15# 1 Ply SmartChoice Bond	7/16"	10 r/pk - 5 pk/cs	50	165'	14.9
Two Sided Thermal Rolls								
2ST-550	3 1/8"	3"	2 Sided Thermal	7/16"		50	230'	35.15
2ST-880	3 1/8"	3 1/4"	2 Sided Thermal	7/16"		50	273'	40.35
ATM Rolls								
15-189	2 5/16"	5 3/4"	48 gm Black Image Thermal	1"		8	918'	14.8
14-960	2 11/32"	6"	black image thermal/CSO	2"		8	872'	16.2
14-970	3 1/8"	5"	Heavyweight Thermal (CSI)	1"		8	451'	15.86
14-502	3 1/8"	6"	Heavyweight Thermal	2"		8	595'	20.96
14-500	3 1/8"	6 1/2"	Heavyweight Thermal (CSI)	11/16"		8	815'	28.17
14-501	3 1/8"	6 1/2"	Heavyweight Thermal (CSO)	11/16"		8	815'	29
14-100	3 1/8"	9 1/2"	55 gram thermal 4.8" repeat on sensor marks	1"		4	2,500'	29.4
Carbonless and Self Contained Rolls								
65-229	44mm	3"	2 Ply (White/Canary) Carbonless	7/16"		100	100'	30.26
18-230	2 1/4"	3"	2 Ply (White/Canary) Carbonless	7/16"		100	95'	37.8
18-231	2 1/4"	2 5/8"	2 Ply (White/Canary) Carbonless (Discontinued)	7/16"		100	72'	28.54
18-232	2 1/4"	2 7/8"	2 Ply (White/Canary) Carbonless	7/16"		50	95'	18.9
CC-234	2 3/4"	2 7/8"	2 Ply (White/Canary) Carbonless	7/16"		50	90'	21.6
18-234	2 3/4"	2 7/8"	2 Ply (White/Canary) Carbonless	7/16"		50	95'	23.06
CC-235	3"	3"	2 Ply (White/Canary) Carbonless	7/16"		50	90	23.88
18-235	3"	3"	2 Ply (White/Canary) Carbonless	7/16"		50	95'	25.22
65-263	3 1/4"	3"	2 Ply (White/Canary) Carbonless	7/16"		50	100'	28.86
65-264	3 1/4"	3"	2 Ply (White/Canary) Carbonless	11/16"		50	100'	28.3
65-265	3 1/4"	3 1/2"	2 Ply (White/Canary) Carbonless	11/16"		50	120'	34.54
18-264	4 1/2"	2 7/8"	2 Ply (White/Canary) Carbonless	7/16"		25	85'	17.4
18-333	3"	3"	3 Ply (White/Canary/Pink) Carbonless	7/16"		50	67'	26.15
65-286	3 1/4"	3 1/2"	2 Ply (White/Canary) Carbonless	11/16"		50	85'	26.86
65-364	3 1/4"	3"	3 Ply (White/Canary/Pink) Carbonless	11/16"		50	67'	31.72
45-150	2 1/4"	2 1/4"	2 ply (white/white) sccb/cf	7/16"		50	51'	11.78
45-150C	2 1/4"	2 1/4"	2 ply (white/canary) sccb/cf	7/16"		50	51'	13
45-206	3"	3"	2 ply (white/canary) sccb/cf	7/16"		50	90'	26.78
16-105	3"	3"	1 Ply 17# Self Contained	7/16"		50	150'	25.82
Dry Cleaner Rolls								
DRY1WH	3 1/8"	3"	48 gram, 1 color back print	7/16"		50	230'	32
DRY2BL	3 1/8"	3"	48 gram, blue flood coat with hanger design front, 1 color back print	7/16"		50	230'	32
DRY3YE	3 1/8"	3"	48 gram, yellow flood coat with hanger design front, 1 color back print	7/16"		50	230'	32
DRY4GN	3 1/8"	3"	48 gram, green flood coat with hanger design front, 1 color back print	7/16"		50	230'	32
DRY5PK	3 1/8"	3"	48 gram, pink flood coat with hanger design front, 1 color back print	7/16"		50	230'	32

Product	Width	Diameter	Description	Core ID	Wrap / Pack	Rolls/Case	Length	Weight (lbs.)
DRY10WH	3 1/8"	3"	80gram, 1 color back print	7/16"		50	160'	37
DRY11BL	3 1/8"	3"	80 gram, blue flood coat with hanger design front,1 color back print	7/16"		50	160'	37
DRY12YE	3 1/8"	3"	80 gram, yellow flood coat with hanger design front,1 color back print	7/16"		50	160'	37
DRY13GN	3 1/8"	3"	80 gram, green flood coat with hanger design front,1 color back print	7/16"		50	160'	37
DRY14PK	3 1/8"	3"	80 gram, pink flood coat with hanger design front,1 color back print	7/16"		50	160'	37
DRY15LA	3 1/8"	3"	80 gram, lavender flood coat with hanger design front,1 color back print	7/16"		50	160'	37
DRY18RED	3 1/8"	3"	80 gram, red flood coat w/hanger	7/16"		50	160'	37
DRY17TN	3 1/8"	3"	80 gram,tan flood coat w/hanger	7/16"		50	160'	37
DRY16OR	3 1/8"	3"	80 gram,orange coat w/hanger	7/16"		50	160'	37